

3-bed onion windrower 3-bed haulm topper



3 bed onion windrower

- Foldable frame
- Steered wheels with automaticly centred position
- Service-friendly powering (PTO driven pump)
- 3 separate harvesters
- Discharge on 2 rows
- Adjustable speed discharge conveyors
- Lights



Harvesters

- Hydraulic driven
- Automatic depth control
- Square rotating bar (40mm)
- Foam rubber feed roller
- 2 sieving webs (pitch 42)
- Adjustable shakers
- PVC pressure roller
- Electric stop for 2nd web




Options

- Automatic lubrication
- Discharge on 1 or 3 rows
- Driven discs for outer rows
- Rubber pressure roller
- Stainless steel pressure roller
- Work lights

Wheeltrack (m)	Web width (m)	Sieving capacity (m2)	Transport dimensions (LxWxH)	Weight (kg)
1,50	1.25	9.4	7.0*2.6*3.5	5100
1,80	1.50	11.3	7.0*2.8*3.6	5300
2,00	1.65	12.4	7.0*3.0*3.8	5500

Discharge on 1 row



Discharge on 2 rows



Discharge on 3 rows



3 bed haulm topper

- Foldable frame
- 3 separate controlled toppers
- 3 axles on each topper
- Automatic depth control



Wheeltrack (m)	Required power (kW/HP)	Transport dimensions (LxWxH)	Weight (kg)
1,50	81/110	2.6*2.3*2.6	2100
1,80	96/130	2.6*2.6*2.8	2300
2,00	103/140	2.6*2.8*3.0	2500

Product range



Onion windrowers



Haulm toppers



Onion loaders



Box trailers



3-bed windrowers



3-bed toppers



Potato windrowers



Conveyor belts

Dealer

ELLENS
SAMON
LANDBOUWTECHNIEK BV

Ellens Landbouwtechniek BV

Ploegstraat 4

8308 AA Nagele

The Netherlands

T +31 527 652 500
F +31 527 652 916
E info@samon.nl
W www.samon.nl

